

ChinaAid
Bob Fu, President
www.chinaaid.org

Women's Rights Without Frontiers
Reggie Littlejohn, President
www.womensrightswithoutfrontiers.org

China: Best Practices -- Infanticide
“What if the infant is still alive after induced labor?”
November 10, 2009
Hearing Before the U.S. Congressional
Tom Lantos Human Rights Commission

The following web-format discussion was copied from a current website for Chinese gynecologists and obstetricians. The name of the thread is “What if the infant is still alive after induced labor?” Posts to the thread date from April 13 through April 28, 2009. The English translations have been embedded into the webpage, so that those interested can have a direct view of the website with the original Mandarin text. The English-only translation of this document is “Case 4” in the Report by ChinaAid and Women's Rights Without Frontiers entitled, “New Evidence Regarding China's One-Child Policy -- Forced Abortion, Involuntary Sterilization, Infanticide and Coercive Family Planning, November 10, 2009, Hearing Before the U.S. Congressional Tom Lantos Human Rights Commission,” submitted simultaneously with this Report.



 [左栏左栏左栏 右栏](#)

欢迎您：游客！请先 [登录](#) 或 [注册](#)

- [风格](#)

[恢复默认设置](#)

|

- [展区](#)

[文件集浏览](#)

[图片集浏览](#)

[Flash 浏览](#)

[音乐集浏览](#)

[电影集浏览](#)

| [搜索](#) |

- [金币和点数互换](#)

|

- [帮助](#)

|

- [兑换金币](#)



[中国妇产科网论坛](#) → [妇产科学](#) → [妇产科医生专业论坛](#) → 晚妊计划生育引产下来是活婴怎么办？

[China gynecologist & obstetrician Website](#)

http://bbs.china-obgyn.net/dispbbs_20_52052__1.html

[Note: this is a national website in which gynecologists & obstetricians from all over the country can comment.]

-  [新的主题](#)  [投票帖](#)  [交易帖](#)  [小字报](#)

<http://bbs.china->

[下一主题 >>](#) [<< 上一主题](#)

共有 1168 人关注过本帖 [树形打印](#)

主题：晚妊计划生育引产下来是活婴怎么办

? What if the infant is still alive after induced labor?



wuhulili

[小大](#) | [1楼](#) | [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)

晚妊计划生育引产下来是活婴怎么办??



[加好友](#) [发短信](#)

☆☆☆☆ 妇产科副主

任医师

等级：医学专业人士 帖

子：23 积分：63 威望：

5 精华：0 注册：2006-

12-13 19:23:00

What if the infant is still alive after induced labor? 🤔

Post By：2009-4-13 21:33:00

我们医院因计划生育对一 18 岁未婚行晚妊 (8+ 月) 行雷帆诺尔羊膜腔注射引产，但是最后分娩下一活婴，家属吵着不要小孩，要丢在医院养，怎办？

wuhulili:

My hospital has applied induced labor using an Ethacridine injection to an 18-year-old premarital pregnant girl. But because she had already been pregnant for 8 months when given induced labor, the infant was born alive. The girl's family members made a big noise that they wanted to leave the infant in our hospital for us to raise it up. What should we do now?

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#) 📌



风景独好

[小大](#) | [2楼](#) | [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By：2009-4-13 21:37:00



[加好友](#) [发短信](#) ☆

引产前要签字的，引产下来的小孩怎么处理

等级：论坛游侠 帖子：91 积分：家属等要签字表明

116 威望：0 精华：0 注册：

2009-3-14 14:16:00

Fengjingduhao:

You need the family members' signature for induced labor. Also you need their signature to decide what to do with the infant after induced labor.

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#)



wuhulili

[小大](#) [3 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-13 21:45:00



[加好友](#) [发短信](#) 妇产科副主任医师

引产下来的小孩怎么处理

等级：医学专业人士 帖子：23 积分：63 威望：5 精华

家属没签字表明

: 0 注册：2006-12-13 19:23:00

wuhulili:

But they didn't sign for it.

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#)



学习啊

[小大](#) [4 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-13 22:13:00



[加好友](#) [发短信](#)



等级：蜘蛛侠 帖子：

其实，在生的时候你们应该穿颅的，这样又可以减少损伤，又可以生出来的不是活的孩子。

1020 积分：1224 威望：Xuexia:

0 精华：0 注册：2008-8-28 22:04:00 Actually you should have punctured the fetus' skull. By doing this there will be less damage and also you won't get an infant born alive.

SIGNATURE -----

迷迷糊糊的就成了“蜘蛛侠”！



冰雨 2008

[支持\(0\)](#) [中立\(0\)](#) [反对\(1\)](#)

[小大](#) [5 楼](#) [个性首页](#) | [QQ](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-13 23:03:00



[加好友](#) [发短信](#)

☆☆☆☆☆ 妇产科副主

任医师

等级：医学专业人士 帖

子：615 积分：715 威

望：5 精华：0 注册：

2006-3-26 10:09:00

很棘手的问题啊！没有遇到过。上班的时候老主任告诉引产不能有活孩子出来

Bingyu2008:

This is really troublesome. I haven't met this problem before. But my chief in my hospital told us that we should try our best to avoid getting infants coming out alive.

SIGNATURE -----

冰雨愿天下的姐妹们健康美丽!

[支持\(0\)](#) [中立\(0\)](#) [反对\(1\)](#)

[小大](#) [6 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



likailian



Post By : 2009-4-14 13:28:00



[加好友](#) [发短信](#)

☆☆☆☆☆ 妇产科住院医师

师

等级：医学专业人士 帖

子：54 积分：113 威望

：1 精华：0 注册：

2007-10-15 22:32:00

许多怀孕 28 周以上甚至足月孕妇要求引产,因计划外妊娠不愿开具证明,有些是未婚少女很无助样子,有些是对胎儿性别不满意,若引产当然违法,但不帮她们会毁了她们一生,有时也为了科室效益让我们进退两难,你们到底咋办的喔？


同时我也同意四楼的做法！

likailian:

There are some pregnant women that are over 28 weeks pregnant or

even nine months pregnant asking for induced labor. Some of them ask for it because they don't have "Birth Permits"; some of them are premarital pregnancies; some of them want boys but they get girls so they are not satisfied. It is illegal to kill the infants alive after they are born, but we also want to help those women. Sometimes we also have to do this for the profit of our department. What do you think?

So I agree with the 4th comment (puncturing the fetus' skull before it is born).

支持(0) 中立(0) 反对(1) 



玉米花

[小大](#) [7 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-14 15:07:00



[加好友](#) [发短信](#)


☆☆☆☆☆ 妇产科主治医师

等级：医学专业人士 帖子：151 积分：220 威望：
3 精华：0 注册：
2008-12-7 18:21:00

我们对上了 28 周的一般不给予引产，要引的，都要对他们交代清楚，28 周后引产的都有可能是活的，小孩一出来就是一条生命，对小孩怎么处理都是不好的，经劝说后大都不引产了。我也不会因为科室效益和孕妇的要求而动心的，说不一定会引来一场可怕的官司。

Yumihua:

We usually don't do induced labor to women who are over 28 weeks pregnant. Even if we have to do this, we will inform them that the infants might be still alive after induced labor. It is a life after the infant is born. We couldn't just kill them like that. Many women decided not to do induced labor after hearing my advice. I myself won't do induced labor for the profit of my department or under the request of those pregnant women, because I am afraid that I will be sued someday if I it.

支持(1) 中立(0) 反对(0) 



大漠胡杨

[小大](#) [8 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-14 20:40:00

[加好友](#) [发短信](#)

☆☆☆☆☆ 妇产科主治医

师

等级：医学专业人士 帖子

：518 积分：619 威望：5

精华：0 注册：2008-9-29

19:15:00

这样的情况我们这不罕见。35周孕前的孩子死亡率90%以上。大多穿颅了，活的自生自灭。家属不要，就残忍的扔在污桶内或包起放置角落，活1、2天的也有。

Damohuyang:

It is very common in my area. Over 90% of 35-week infants died under induced labor. Most of them died of skull puncture. Some were alive but if the pregnant women's family members didn't want them, they would be left in trashcans. Some of them could still live for one to two days.

[支持\(0\)](#) [中立\(0\)](#) [反对\(1\)](#)



英子

[小大](#) [9楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-14 20:46:00

[加好友](#) [发短信](#) ☆☆☆☆☆

妇产科主任

等级：实习版主 帖子：119 积分

：292 威望：7 精华：0 注册：

2003-1-14 15:51:00

这已经超出医学范畴了。但我们难免遇到。我们现在28周孕没有医学指针不引产，如要就去三甲医院好了。

----- 引产前要签字的，引产下来的小孩怎么处理家属等要签字表明

这是个好办法


Yingzi:

This discussion is already beyond the medical field. However, we often meet this kind of problem. We don't do

induced labor without medical signs or medical symptoms.

-- You need the family members' signature for induced labor. Also you need their signature to decide what to do with the infant after induced labor.

This is a good idea.

支持(0) 中立(0) 反对(0) 



mtmm

[小大](#) [10 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-14 22:23:00




[加好友](#) [发私信](#) 

等级 : 论坛游侠 帖子 : 61 积分 : 76 威望 : 0 精华 : 0 注册 : 2009-3-10 21:19:00

只要孩子生下来是活的，他就有活的权力了。我们不能帮忙让一条生命消失。可以考虑在出生前就让胎儿死亡，例如胎儿心脏穿刺...

mtmm:

As long as the infant is born alive, he has the right to live. We cannot make a life disappear. However, we could make fetuses die before they are born, by means of heart puncture or so...

支持(0) 中立(0) 反对(2) 

HTMLDirect



[下一主题 >>](#) [<< 上一主题](#)

总数 18 1 2 [下一页](#) HTMLDirect


[RSS2.0](#)

[Xhtml 无图版](#)

[Xslt 无图版](#)

Copyright ©2000 - 2008

[中国妇产科网](#)



Powered By [Dvbbs Version 8.2.0](#)



冰雨 2008

[小大](#) [11 楼](#) [个性首页](#) | [QQ](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-14 22:52:00



[加好友](#) [发短](#)
[信](#) ☆☆☆☆ 妇
产科副主任医师
等级：医学专业
人士 帖子：615
积分：715 威望：
5 精华：0 注册：
2006-3-26
10:09:00


一般来说来引产的都是计划外妊娠的，我们这里引产都要有计划生育方面的证明，这就涉及到计划生育政策的问题，那可是国策啊！这种情况下引下来的孩子活了，那是违反计划生育政策的，如果孩子活了，只要是家属听到了哭声，引产就是失败，就是医疗事故，真是要活的孩子你给扔到垃圾桶里，给弄死了，家属知道，一告你那就是犯法的，我们的经验是只是来引产的，无论月份大小，我们绝不能让孩子活着出来，不能有生命的迹象出来，大月份的出生前反复的听胎心，如果有胎心，也不要和患者说，准备好95%的酒精注射的凶门，当然也不能让患者知道的，再多堵一会让孩子出生，这也是保护自己。如果来的时候已经有规律宫缩了，再说是引产，不想要这孩子，那就不能这样处理了，那种情况应该告知患者，医生已经没有办法处理了，只能是把活孩子自己抱走处理了。

Bingyu2008:

Usually the induced labor is for the out-of-plan pregnancies. In my hospital we do induced labor under the population and family planning official documents. This is something about the population and family planning policy. This is a state policy! If the infant comes out alive after induced labor, it will violate the policy. Also if the infant's family finds out that the infant is alive, it is a failure to us, and a medical accident. If we just throw the infant alive to a trashcan and it dies there, we will be sued by its family when they see it. My point is that for induced labor, no matter how many months the infants are, we can never let infants come out alive, nor should any signs of life of the infants be shown to their families. For infants that are over 38 weeks, we need to listen to their embryocardia. If they do have embryocardia, don't tell their mothers or family members first. Instead, prepare 95% absolute alcohol to inject into the infant's fontanelle and postpone the labor [to make sure the infant is dead]. This can also protect ourselves. However, if the pregnant woman is about to give birth and already has uterine contractions when sent to hospital, there is nothing we could do. They will have to take the infant alive back home as well.

SIGNATURE

冰雨愿天下的姐妹们健康美丽!

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#) 



风景独好

[小大](#) [12 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-14 23:07:00



[加好友](#) [发短信](#) 

等级：论坛游侠 帖子

：91 积分：116 威望：

0 精华：0 注册：2009-

3-14 14:16:00

以下是引用 **大漠胡杨** 在 2009-4-14 20:40:00 的发言：

这样的情况我们这不罕见。35周孕前的孩子死亡率
90%以上。大多穿颅了，活的自生自灭。家属不要，就
残忍的扔在污桶内或包起放置角落，活1、2天的也有。

胡杨老师，经利凡诺穿刺引产下来的孩子，即使是
成活的，也不会活很久吧？也不能再要吧？利凡诺对胎
儿应该是有毒性的吧？谢谢赐教！


Bingyu2008:

Quote from Damohuyang's comment at 20:40pm 04-14-2009:

It is very common in my area. Over 90% of 35-week infants died under induced labor. Most of them died of skull puncture. Some were alive but if the pregnant women's family members didn't want them, they would be left in trashcans. Some of them could still live for 1-2 days.

Hey teacher! For the infants after induced labor using Ethacridine injection, even if they are still alive, they won't make it for too long will they? Isn't Ethacridine injection harmful and poisonous to infants?

Thanks!

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#) 



乌尔禾

[小大](#) [13 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-15 0:43:00

[加好友](#) [发短信](#)



以前曾听说过利凡诺引产下来的活婴，后来健康成长。但毕竟利凡诺有毒性，这是有风险的。

等级：联络员 帖子：148 积

分：201 威望：3 精华：0 注

册：2007-3-12 23:03:00

Wuerhe:

I have heard that there are infants surviving from the Ethacridine injection induced labor. And they grow up in good health condition. However, after all Ethacridine is poisonous. It is not guaranteed [that the infant will survive].

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#)



nfckdf

[小大](#) [14 楼](#) [个性首页](#) | [QQ](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-15 5:34:00



以下是引用 **乌尔禾**在 2009-4-15 0:43:00 的发言：

[加好友](#) [发短信](#)

妇产科主治医师

等级：医学专业人士 帖子：391 积

分：435 威望：0 精华：1 注册：

2008-6-25 9:34:00

以前曾听说过利凡诺引产下来的活婴，后来健康成长。但毕竟利凡诺有毒性，这是有风险的。

就是啊，万一孩子活了有什么后遗症了

怎么办？家属会告我们吗？


nfckdf:

Quote from Wuerhe's comment at 20:43pm 04-15-2009:

I have heard that there are infants surviving from the Ethacridine injection induced labor. And they grow up in good health condition. However, after all Ethacridine is poisonous. It is not guaranteed [that the infant will survive].

Indeed, what if the infant survives but has any sequelae?

[Will we be sued by its family?](#)

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#) 

[小大](#) [15 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



huixinzhang



[加好友](#) [发短信](#) [☆☆☆☆☆](#) 妇

产科副主任医师

等级：医学专业人士 帖子：195

积分：223 威望：5 精华：0 注册

：2008-10-7 14:35:00



Post By : 2009-4-16 20:15:00

以下是引用英子在 2009-4-14 20:46:00 的发言

:

这已经超出医学范畴了。但我们难免遇到。我们现在 28 周孕没有医学指针不引产，如要就去三甲医院好了。

----- 引产前要签字的，引产下来的小孩怎么处理家属等要签字表明

这是个好办法

这有伦理问题、人权问题，很难办。

我赞同英子的意见

huixinzhang:

Quote from Yingzi's comment at 20:46pm 04-14-2009:


This discussion is already beyond medical field. However, we often met this kind of problems. We don't do induced labor without medical signs or medical symptoms.

--It needs the family members' signature for induced labor. Also it needs their signature to decide what to do with the infant after induced labor.

This is a good idea.

It is the problem of ethic and human rights. This is troublesome.

I agree with Yingzi.

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#) 



lm3850316

[小大](#) [16 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-26 15:37:00

[加好友](#) [发短信](#) 

同意四楼的做法！

等级：论坛游民 帖子：47 积分：57

威望：0 精华：0 注册：2009-4-26

13:07:00


lm3850316:

I agree with Xuexia's opinion.

[Note:

Xuexia's opinion:

Actually you should have punctured the fetus' skull. By doing this there will be less damage and also you won't get an alive infant.]

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#) 



lcx316

[小大](#) [17 楼](#) [个性首页](#) | [信息](#) | [搜索](#) |

[邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-28 11:24:00

[加好友](#) [发短信](#) 


不知道为什么我总觉得这样好残忍！

等级：新手上路 帖子：6 积分：17 威望：0 精华：0

注册：2009-4-23 11:24:00

lcx316:

I don't know why but I feel this is really cruel!

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#) 



naccyw

[小大](#) [18 楼](#) [个性首页](#) | [信息](#) | [搜索](#) | [邮箱](#) | [主页](#) | [UC](#)



Post By : 2009-4-28 16:03:00

[+加好友](#) [发私信](#)

☆☆☆☆☆ 妇产科主治
医生
等级：医学专业人士 帖

我们一般都在病历上签好字，并且我们从上一辈哪儿
学到：引产不能有活的出来。生出来之前常规听筒听胎
心，若有胎心在先露着冠后往囟门里注射无水酒精

子：289 积分：390 威望 naccyw:

: 1 精华：0 注册：
2003-5-31 9:41:00

We usually ask those pregnant women's families to sign for the agreement first. Also we learned from our teachers and chiefs: there must not be any infant born alive from induced labor. Before it is born, use a stethoscope to listen to its embryocardia. If it has embryocardia then inject absolute alcohol into the infant's fontanelle when it is being born.

[支持\(0\)](#) [中立\(0\)](#) [反对\(0\)](#)

HTMLDirect

[下一主题 >>](#) [<< 上一主题](#)

总数 18 [上一页](#) [1](#) [2](#) HTMLDirect


[RSS2.0](#)

[Xhtml 无图版](#)

[Xslt 无图版](#)

Copyright ©2000 - 2008

[中国妇产科网](#)



Powered By [Dvbbs Version 8.2.0](#)